

GE Betz

GE Betz, Inc. 4636 Somerton Road Trevose, PA 19053

Business telephone: (215) 355-3300

Material Safety Data Sheet

Issue Date: 26-MAR-1998

EMERGENCY TELEPHONE (Health/Accident): (800) 877-1940

1 PRODUCT IDENTIFICATION

PRODUCT NAME:

OPTIGUARD MCA624

PRODUCT APPLICATION AREA:

INTERNAL BOILER TREATMENT.

2 COMPOSITION / INFORMATION ON INGREDIENTS

Information for specific product ingredients as required by the U.S. OSHA HAZARD COMMUNICATION STANDARD is listed. Refer to additional sections of this MSDS for our assessment of the potential hazards of this formulation.

HAZARDOUS INGREDIENTS:

CAS# CHEMICAL NAME

10117-38-1 SULFUROUS ACID, DIPOTASSIUM SALT

Transient irritant; potential sensitizer (skin and

respiratory)

100-37-8 DIETHYLAMINOETHANOL (DEAE)

Combustible liquid; corrosive (eyes and skin);

irritant (respiratory); absorbed by skin

No component is considered to be a carcinogen by the National Toxicology Program, the International Agency for Research on Cancer, or the Occupational Safety and Health Administration at OSHA thresholds for carcinogens.

3 HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

WARNING

May cause moderate irritation to the skin. Absorbed by the skin. Potential sensitizer. Severe irritant to the eyes. Mists/aerosols may cause irritation to upper respiratory tract.

A SM TO THE RESERVE OF THE SMALL STATE OF THE SMALL

FIRE FIGHTING INSTRUCTIONS:

Fire fighters should wear positive pressure self-contained breathing apparatus (full face-piece type).

EXTINGUISHING MEDIA:

dry chemical, carbon dioxide, foam or water

HAZARDOUS DECOMPOSITION PRODUCTS:

Thermal decomposition (destructive fires) yields elemental oxides. FLASH POINT:

> 200F > 93C P-M(CC)

6 ACCIDENTAL RELEASE MEASURES

PROTECTION AND SPILL CONTAINMENT:

Ventilate area. Use specified protective equipment. Contain and absorb on absorbent material. Place in waste disposal container. Flush area with water. Wet area may be slippery. Spread sand/grit. DISPOSAL INSTRUCTIONS:

Water contaminated with this product may be sent to a sanitary sewer treatment facility, in accordance with any local agreement, a permitted waste treatment facility or discharged under a permit. Product as is - Incinerate or land dispose in an approved landfill.

7 HANDLING & STORAGE

HANDLING:

Clean spill immediately. Wash contaminated skin promptly. STORAGE:

Keep containers closed when not in use. Protect from freezing. If frozen, thaw and mix completely prior to use. Atmospheric exposure should be minimized. Avoid high teperature storage.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

CHEMICAL NAME

SULFUROUS ACID, DIPOTASSIUM SALT PEL (OSHA): NOT DETERMINED TLV (ACGIH): NOT DETERMINED

DIETHYLAMINOETHANOL (DEAE)
PEL (OSHA): 10 PPM(SKIN)
TLV (ACGIH): 2 PPM(SKIN)

ENGINEERING CONTROLS:

Adequate ventilation to maintain air contaminants below exposure limits.

PERSONAL PROTECTIVE EQUIPMENT:

Use protective equipment in accordance with 29CFR 1910 Subpart I RESPIRATORY PROTECTION:

A RESPIRATORY PROTECTION PROGRAM THAT MEETS OSHA'S 29 CFR 1910.134 AND ANSI Z88.2 REQUIREMENTS MUST BE FOLLOWED WHENEVER WORKPLACE CONDITIONS WARRANT A RESPIRATOR'S USE.

USE AIR PURIFYING RESPIRATORS WITHIN USE LIMITATIONS ASSOCIATED WITH THE EQUIPMENT OR ELSE USE SUPPLIED AIR-RESPIRATORS.

If air-purifying respirator use is appropriate, use a respirator with organic vapor cartridges and dust/mist prefilters.

SKIN PROTECTION:

gauntlet-type neoprene gloves, chemical resistant apron--Wash off after each use. Replace as necessary.

EYE PROTECTION:

splash proof chemical goggles, face shield

9 PHYSICAL & CHEMICAL PROPERTIES

Specific Grav. (70F,21C) 1.117 Vapor Pressure (mmHG) ~ 18.0 Freeze Point (F) 13 Vapor Density (air=1)

Freeze Point (C) -11

Viscosity(cps 70F,21C) % Solubility (water) 11 100.0

Strong

Appearance Colorless To Yellow

Physical State Liquid

Flash Point P-M(CC) > 200F > 93C

pH As Is (approx.) 11.7 Evaporation Rate (Ether=1) < 1.00

NA = not applicable ND = not determined

10 STABILITY & REACTIVITY

STABILITY:

Unstable

HAZARDOUS POLYMERIZATION:

Will not occur.

INCOMPATIBILITIES:

May react with strong oxidizers.

DECOMPOSITION PRODUCTS:

Thermal decomposition (destructive fires) yields elemental oxides.

INTERNAL PUMPOUT/CLEANOUT CATEGORIES:

иВи

11 TOXICOLOGICAL INFORMATION

Oral LD50 RAT: >2,000 mg/kg

NOTE - Estimated value

Dermal LD50 RABBIT: >2,000 mg/kg

NOTE - Estimated value

12 ECOLOGICAL INFORMATION

AQUATIC TOXICOLOGY

Daphnia magna 48 Hour Acute Toxicity (Estimated) LC50= 1680; No Effect Level= 1190 mg/L Fathead Minnow 96 Hour Acute Toxicity (Estimated) LC50= 2610; No Effect Level= 740 mg/L

BIODEGRADATION

BOD-28 (mg/g): 35 BOD-5 (mg/g): 0COD (mg/g): 197 TOC (mg/g): 55

13 DISPOSAL CONSIDERATIONS

If this undiluted product is discarded as a waste, the US RCRA hazardous waste identification number is : Not applicable.

Please be advised; however, that state and local requirements for waste disposal may be more restrictive or otherwise different from federal regulations. Consult state and local regulations regarding the proper disposal of this material.

14 TRANSPORT INFORMATION

DOT HAZARD: Not Applicable UN / NA NUMBER: Not applicable DOT EMERGENCY RESPONSE GUIDE #: Not applicable

15 REGULATORY INFORMATION

TSCA:

All components of this product are listed in the TSCA inventory. CERCLA AND/OR SARA REPORTABLE QUANTITY (RQ):

No regulated constituent present at OSHA thresholds

FOOD AND DRUG ADMINISTRATION:

ALL ingredients in this product are authorized in 21CFR173.310 for use as boiler water additives where the steam may contact food.

SARA SECTION 312 HAZARD CLASS:

Immediate (acute) ; Delayed (Chronic)

SARA SECTION 302 CHEMICALS:

No regulated constituent present at OSHA thresholds

SARA SECTION 313 CHEMICALS:

No regulated constituent present at OSHA thresholds

CALIFORNIA REGULATORY INFORMATION

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65) CHEMICALS PRESENT:

No regulated constituent present at OSHA thresholds MICHIGAN REGULATORY INFORMATION

No regulated constituent present at OSHA thresholds

16 OTHER INFORMATION

NFPA/HMIS

CODE TRANSLATION

Health	2	Moderate Hazard
Fire	1	Slight Hazard
Reactivity	0	Minimal Hazard
Special	NONE	No special Hazard
(1) Protective Equipment	ם	Goggles, Face Shield, Gloves, Apron

(1) refer to section 8 of MSDS for additional protective equipment recommendations.

CHANGE LOG

EFFECTIVE

DATE REVISIONS TO SECTION:

SUPERCEDES